











燈膽及小型投射燈專輯

產品圖片	型號	輸入電壓 (V)	功率 (W)	色溫	光通量(lm)	燈頭	尺寸(mm)		LED 數量 (pcs)	出光角度	演色性 (CRI)
							直徑 (mm)	尺寸 (mm)			
	A4-3X1WB/G 玻璃(蠟燭燈)	110-240V AC	3W	暖白	240-270Lm	E26	40mm	128.2	3	270°	65
						E27		128.2			
						E14		146.7			
				正白	270-300Lm	E17		141.2			
						GU10		133.2			
						B22		126.6			
	A4-3X1WB/PC (蠟燭燈)	110-240V AC	3W	暖白	240-270Lm	E26	40mm	111.4	3	270°	65
						E27		111.4			
						E14		129.9			
				正白	270-300Lm	E17		124.4			
						GU10		116.5			
						B22		109.9			
	A5-3x1WB (對等25w燈泡)	110-240V AC	3W	暖白	240-270Lm	E26	50mm	80.5	3	223	65
						E27		80.5			
						E14		99			
				正白	270-300Lm	E17		93.5			
						GU10		85.5			
						B22		78.8			
	A7-7X1WULB (對等60w燈泡)	110-240V AC	7W	暖白	500-550Lm	E26	70mm	154	7	220	65
				正白		E27		154			75
				冷白	630-700Lm	B22		150.7			83
	A6-5X1WB- (對等40w燈泡)	110-240V AC	5W	暖白	380-420Lm	E26	60mm	107.4	5	235	65
						E27		107.4			
						E17		126			
				正白	460-500Lm	GU10		112.4			
						B22		105.4			

色溫：暖白為2600-3100K，正白為5000-6000K，冷白為6000-7000K
 LED芯片品牌：可選sumileds 80-90Lm、sumileds 110-120Lm 或 CREE

產品圖片	型號	功率 (W)	色溫 (K)		光通量 (lm)	輸入電壓	燈頭	尺寸		出光角度	演色性 (CRI)	LED晶片品牌
								直徑 mm	高度 mm			
	A5-3X1W-03 (標準MR16鹵素燈尺寸)	3W	暖白	2600-3100K	270-300lm	AC/DC 12-24V	MR16	49	47	30	65	sumileds 80-90Lm
			正白	5000-6000K						45	75	
			冷白	6000-7000K						50	83	sumileds 105-120Lm
	A5-1X3W	3W	暖白	2600-3100K	100-120lm	AC/DC 12-24V	MR16	49	53.5	45°	65	sumileds 140-160 Lm
			正白	5000-6000K	140-150lm	AC 110-240V	E27	49	57		75	
			冷白	6000-7000K			GU10	49	62		83	
							E14	49	77.5			
	A5-3X1W-02 (多種出光角度可選)	3W	暖白	2600-3100K	240-260lm		AC/DC 12-24V	MR16	50	52	15	65
			正白	5000-6000K	270-330lm	AC 110-240V	E27	50	63	25	75	
							E26	50	63	30		
							E14	50	78.5	40		
			冷白	6000-7000K			B22	50	59.5	60	83	sumileds 105-120Lm
	A5-3X1W-01	3W	暖白	2600-3100K			240-260lm	AC/DC 12-24V	MR16	50	57	30
			正白	5000-6000K	270-330lm	AC 110-240V	E26	50	62.5	45	75	
							E27	50	62.5			
							E14	50	81			
			冷白	6000-7000K			GU10	50	67.5	50	83	sumileds 105-120Lm
							E27	50	75.5			

產品圖片	型號	功率 (W)	色溫 (K)	光通量 (lm)	輸入電壓	燈頭	尺寸		出光角度	演色性 (CRI)	LED晶片品牌	
							直徑 mm	高度 mm				
	A5-6w (2W*3)-02 (多種出光角度可選)	6W	暖白	2600-3100K	270-330lm	AC/DC 12-24V	MR16	50	67	15	65	sumileds 140-160Lm
			正白	5000-6000K	360-390lm	AC 110-240V	E265	07	82	5		
							E275	07	83	0		
							E145	0	93.5	0		
							E175	08	84	5		
			冷白	6000-7000K				GU10	50	78	60	
	A5-6W-01 (2W*3個)	6W	暖白	2600-3100K	300-330Lm	AC/DC 12-24V	MR16	50	69	30	65	sumileds 140-160Lm
			正白	5000-6000K	360-390lm	AC 110-240V	E275	0	73.5	45		
							E145	09	2			
							E175	0	86.5			
							GU10	50	78.5		50	
			冷白	6000-7000K				E265	0	73.5		
	A5-5X1W	5W	暖白	2600-3100K	360-430lm	AC 110-240V	E265	08	3	30	65	sumileds 80-90Lm
			正白	5000-6000K	450-500lm		E275	08	3			
							E145	0	98.5			
							E175	09	3			
							GU10	50	83	50	83	sumileds 105-120Lm
			冷白	6000-7000K					B225			

代理商聯絡方法：