








Bulb and Mini Spotlight Series


| Products Image | Model | Voltage | Power | Color | Lumen | Bulb Holder | Size (mm) | | LED qty. (pcs) | Beam Angle | CRI |
|---|--|----------------|-------|---------------|-----------|-------------|-----------|-------|----------------|------------|-----|
| | | | | | | | Diameter | Size | | | |
|  | A4-3X1WB/G Candle Lamp (glass) | 110-240V AC | 3W | Warm White | 240-270Lm | E26 | 40mm | 128.2 | 3 | 270° | 65 |
| | | | | | | E27 | | 128.2 | | | |
| | | | | | | E14 | | 146.7 | | | |
| | | | | White | 270-300Lm | E17 | | 141.2 | | | |
| | | | | | | GU10 | | 133.2 | | | |
| | | | | | | B22 | | 126.6 | | | |
|  | A4-3X1WB/PC Candle Lamp | 110-240V AC | 3W | Warm White | 240-270Lm | E26 | 40mm | 111.4 | 3 | 270° | 65 |
| | | | | | | E27 | | 111.4 | | | |
| | | | | | | E14 | | 129.9 | | | |
| | | | | White | 270-300Lm | E17 | | 124.4 | | | |
| | | | | | | GU10 | | 116.5 | | | |
| | | | | | | B22 | | 109.9 | | | |
|  | A5-3x1wB (equal with the 25w light bulb) | 110-240V AC | 3W | Warm White | 240-270Lm | E26 | 50mm | 80.5 | 3 | 223 | 65 |
| | | | | | | E27 | | 80.5 | | | |
| | | | | | | E14 | | 99 | | | |
| | | | | White | 270-300Lm | E17 | | 93.5 | | | |
| | | | | | | GU10 | | 85.5 | | | |
| | | | | | | B22 | | 78.8 | | | |
|  | A7-7X1WULB (equal with the 60w light bulb) | 110-240V AC | 7W | Warm White | 500-550Lm | E26 | 70mm | 154 | 7 | 220 | 65 |
| | | | | White | 630-700Lm | E27 | | 154 | | | 75 |
| | | | | Cool White | | B22 | | 150.7 | | | 83 |
|  | A6-5X1WB- (equal with the 40w light bulb) | 110-240V AC | 5W | Warm White | 380-420Lm | E26 | 60mm | 107.4 | 5 | 235 | 65 |
| | | | | | | E27 | | 107.4 | | | |
| | | | | | | E17 | | 126 | | | |
| | | | | White | 460-500Lm | GU10 | | 126 | | | 83 |
| | | | | | | | | B22 | | | |
| | | | | | | 105.4 | | | | | |


Color Temperature:
Brand of LED chip:


Warm White (2600-3100K), White (5000-6000K), Cool White (6000-7000K)
sumileds 80-90LM, sumileds 110-120LM, CREE optional




| Products Image | Model | Power | Color | Lumen | Voltage | Bulb Holder | Size (mm) | | Beam Angle | CRI | Brand of LED chip |
|----------------|-------|-------|-------|-------|---------|-------------|-----------|------|------------|-----|-------------------|
| | | | | | | | Diameter | Size | | | |

| | | | | | | | | | | | | |
|---|--|----|------------|------------|-----------|--------------|------|----|----|----|----|--------------------|
|  | A5-3X1W-03 (Standard MR16 halogen size) | 3W | Warm White | 2600-3100K | 270-300lm | AC/DC 12-24V | MR16 | 49 | 47 | 30 | 65 | sumileds 80-90Lm |
| | | | White | 5000-6000K | | | | | | 45 | 75 | |
| | | | Cool White | 6000-7000K | | | | | | 50 | 83 | sumileds 105-120Lm |

| | | | | | | | | | | | | |
|---|---------|----|------------|------------|-----------|--------------|------|----|------|-----|----|---------------------|
|  | A5-1X3W | 3W | Warm White | 2600-3100K | 100-120lm | AC/DC 12-24V | MR16 | 49 | 53.5 | 45° | 65 | sumileds 140-160 Lm |
| | | | White | 5000-6000K | 140-150lm | AC 110-240V | E27 | 49 | 57 | | 75 | |
| | | | Cool White | 6000-7000K | | | GU10 | 49 | 62 | | 83 | |
| | | | | | | | E14 | 49 | 77.5 | | | |

| | | | | | | | | | | | | |
|---|---|------|------------|------------|-----------|--------------|------|------|------|----|----|--------------------|
|  | A5-3X1W-02 (Optional different beam angle) | 3W | Warm White | 2600-3100K | 240-260lm | AC/DC 12-24V | MR16 | 50 | 52 | 15 | 65 | sumileds 80-90Lm |
| | | | White | 5000-6000K | 270-330lm | AC 110-240V | E27 | 50 | 63 | 25 | | |
| | | | | | | | E26 | 50 | 63 | 30 | | |
| | | | | | | | E14 | 50 | 78.5 | 40 | | |
| | | | Cool White | 6000-7000K | | | 83 | GU10 | 50 | 63 | 45 | sumileds 105-120Lm |
| B22 | 50 | 59.5 | 60 | | | | | | | | | |

| | | | | | | | | | | | | |
|---|------------|------|------------|------------|-----------|--------------|------|------|------|------|----|--------------------|
|  | A5-3X1W-01 | 3W | Warm White | 2600-3100K | 240-260lm | AC/DC 12-24V | MR16 | 50 | 57 | 30 | 65 | sumileds 80-90Lm |
| | | | White | 5000-6000K | 270-330lm | AC 110-240V | E26 | 50 | 62.5 | | | |
| | | | | | | | E27 | 50 | 62.5 | | | |
| | | | | | | | E14 | 50 | 81 | | | |
| | | | Cool White | 6000-7000K | | | 83 | GU10 | 50 | 67.5 | 50 | sumileds 105-120Lm |
| E27 | 50 | 75.5 | | | | | | | | | | |

| Products Image | Model | Power | Color | Lumen | Voltage | Bulb Holder | Size (mm) | | Beam Angle | CRI | Brand of LED chip | | |
|---|--|-------|------------|------------|-----------|--------------|-------------|------|------------|--------------------|-------------------|--------------------|----|
| | | | | | | | Diameter | Size | | | | | |
|  | A5-6w (2W*3)-02 (Optional different beam angle) | 6W | Warm White | 2600-3100K | 270-330lm | AC/DC 12-24V | MR16 | 50 | 67 | 15 | 65 | sumileds 140-160Lm | |
| | | | White | 5000-6000K | 360-390lm | | AC 110-240V | E265 | 07 | 82 | | | 5 |
| | | | | | | | | E145 | 0 | 93.5 | 0 | | |
| | | | | | | | | E175 | 08 | 84 | 5 | | |
| | | | Cool White | 6000-7000K | GU10 | | 50 | 78 | 60 | 83 | | | |
| | | | | | | | | | | | | | |
|  | A5-6W-01 (2W x 3pcs) | 6W | Warm White | 2600-3100K | 300-330Lm | AC/DC 12-24V | MR16 | 50 | 69 | 30 | 65 | sumileds 140-160Lm | |
| | | | White | 5000-6000K | 360-390lm | | AC 110-240V | E275 | 0 | 73.5 | | | 45 |
| | | | | | | | | E145 | 09 | 2 | | | |
| | | | | | | | | E175 | 0 | 86.5 | | | |
| | | | Cool White | 6000-7000K | GU10 | | 50 | 78.5 | 50 | 83 | | | |
| | | | | | | | | | | | | | |
|  | A5-5X1W | 5W | Warm White | 2600-3100K | 360-430lm | AC 110-240V | E265 | 08 | 3 | 30 | 65 | sumileds 80-90Lm | |
| | | | White | 5000-6000K | 450-500lm | | AC 110-240V | E275 | 08 | | | | 3 |
| | | | | | | | | E145 | 0 | 98.5 | | | |
| | | | | | | | | E175 | 09 | 3 | | | |
| | | | Cool White | 6000-7000K | GU10 | | 50 | 83 | 50 | 83 | | | |
| | | | | | | | | | | | | | |
| | | | | | B225 | 0 | 79.5 | | 83 | sumileds 105-120Lm | | | |

